
D3704-1 ESCUTCHEON



D3704-3 ESCUTCHEON

NOTES:
1) MATERIAL: 6061-T6 (OR 6061-T651/-T6510/-T6511/-T62) BAR
PER AMS-QQ-A-225/8 (OR AMS 4117/4128/4115/4116) OR
PER AMS-QQ-A-200/8 (OR AMS 4160)
(REF. DART SPEC. M6061T6B)
2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
4) UNITS: INCHES UNLESS OTHERWISE NOTED
5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
6) IDENTIFICATION: IDENTIFY WITH DART P/N "D3704-X" AND B/N PER DART QSI 044 6.1 (PERMANENT INK MARKER)
7) WEIGHT:

7) WEIGHT:

- D3704-1 = 0.04 lbs - D3704-3 = 0.11 lbs

| DRAWN | | AK | HAWKESBURY, ONTARIO, CANADA | | |
|--------|---------------------------------------------------------|----------------------------------|-----------------------------|--------------------|----------|
| DESIGN | DESIGN AJS DA | | DART AEROSPA | DART AEROSPACE LTD | |
| REV. | DESCRIPTION | | | BY | DATE |
| Α | NEW ISSUE | | | МВ | 08.02.05 |
| В | ADDED D3704-3. REASON: COMPATIBILITY WITH AAI'S HANDLE. | | | | 09.03.17 |
| С | Ø0.630 0.685 (Z | +0.005/-0.000 \ N B5-4). REAS | МВ | 12.09.05 | |
| D | D3704-1 0.001). F | : TOLERANCE REVISED D3704 | AK | 16.06.03 | |

| DESIGN | AJS | DART AEROSPACE LTD | |
|------------|------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|
| DRAWN | AK | HAWKESBURY, ONTARIO, CANADA | |
| CHECKED | MB | DRAWING NO. | REV. D |
| MFG. APPR. | JFS | D3704 | SHEET 1 OF 3 |
| APPROVED | HS . | TITLE | SCALE |
| DE APPR. | DS # | ESCUTCHEON | NTS |
| DATE 16.0 | 6.03 | COPYRIGHT © 2008 BY DART AEROSPACE LTD THIS DOCUMENT IS PRINATE AND CONFEDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT | |

